PATENT Atty. Ref. No. <u>3382-57030-01</u>

CLAIMS

- 1. 17. (canceled)
- 18. (previously presented) In a computing environment, a method of facilitating the debugging of mixed-language script that interacts with features of a host through a programming interface, the method comprising:

providing a debugging environment for debugging mixed-language script, the mixed-language script interacting with features of a host through a programming interface exposed by the host, the mixed-language script including a first script portion written in a first language and a second script portion written in a second language;

recognizing a debuggable entity created from the mixed-language script and context information;

based upon debug activities for the debuggable entity, intervening in interaction between the mixed-language script and the features of the host, wherein the debugging environment coordinates implementation of a first debug activity according to the first language, and wherein the debugging environment coordinates implementation of a second debug activity according to the second language.

- 19. (previously presented) A computer readable medium storing instructions for causing a computer programmed thereby to perform the method of claim 18.
- 20. (previously presented) The method of claim 18 wherein the debug activities include evaluating an expression.
- 21. (previously presented) The method of claim 18 wherein the debug activities include retrieving stack frame information.
- 22. (previously presented) The method of claim 18 wherein the debug activities include browsing a structured object.
- 23. (previously presented) The method of claim 18 wherein the debug activities include setting a breakpoint in the mixed-language script.

316119

PATENT Auy, Ref. No. <u>3382-57030-01</u>

- 24. (previously presented) The method of claim 18 wherein the host is a web browser, and wherein the mixed-language script further interacts with features of a remote host.
- 25. (previously presented) The method of claim 18 wherein language-independent descriptions specify the debug activities.
- 26. (previously presented) In a computing environment, a system for debugging mixedlanguage script that interacts with features of a host through a programming interface, the system comprising:
- a debuggable entity created from mixed-language script and context information, the mixed-language script for interacting with features of a host through a programming interface exposed by the host, the mixed-language script including a first script portion written in a first language and a second script portion written in a second language; and
- a debugging environment for debugging the mixed-language script by intervening in interaction between the mixed-language script and the features of the host, the debugging based upon debug activities for the debuggable entity, wherein the debugging environment coordinates implementation of a first debug activity according to the first language in the debugging, and wherein the debugging environment coordinates implementation of a second debug activity according to the second language in the debugging.
- 27. (previously presented) In a distributed computing environment, a method of facilitating the debugging of mixed-language script that interacts with features of a web browser and with features of a remote host, the method comprising:

providing a debugging environment for debugging mixed-language script that interacts with features of a web browser and with features of a remote host, the mixed-language script including a first script portion written in a first language and a second script portion written in a second language;

recognizing a debuggable entity created from the mixed-language script and context information;

PATENT Atty. Ref. No. <u>3382-57030-01</u>

based upon debug activities for the debuggable entity, intervening in interaction between the mixed-language script, the features of the web browser, and the features of the remote host, wherein the debugging environment coordinates implementation of a first debug activity according to the first language, and wherein the active debugging environment coordinates implementation of a second debug activity according to the second language.

- 28. (previously presented) A computer readable medium storing instructions for causing a computer programmed thereby to perform the method of claim 27.
- 29. (previously presented) The method of claim 27 wherein language-independent descriptions specify the debug activities.
- 30. (previously presented) The method of claim 27 wherein the debug activities include evaluating an expression, retrieving stack frame information, browsing a structured object, and setting a breakpoint in the mixed-language script.
- 31. (previously presented) In a computing environment, a system for debugging mixed-language script, the system comprising:
- a language-independent host for hosting mixed-language script that interacts with features of the host, the mixed-language script including a first script portion written in a first language and a second script portion written in a second language;

plural host-independent language engines, each language engine for handling languagedependent execution and debugging implementation according to a language present in the mixedlanguage script;

- a language-independent, host-independent debugging environment, wherein the debugging environment facilitates debugging of the mixed-language script in a language-independent, host-independent manner.
- 32. (previously presented) The system of claim 31 wherein the debugging environment coordinates debugging of a virtual application based upon the mixed-language script and context

PATENT Atty. Ref. No. <u>3382-57030-01</u>

information, and wherein the debugging environment maintains a catalog of language components in the virtual application.

- 33. (previously presented) The system of claim 31 wherein the plural language engines include a first language engine for an interpreted language and a second language engine for a compiled language.
- 34. (previously presented) The system of claim 31 wherein each language engine handles language-dependent debugging for the language of the language engine.
- 35. (previously presented) The system of claim 31 further comprising:
 a language-independent, host-independent debugging user interface for distance.

a language-independent, host-independent debugging user interface for displaying debugging information for the mixed-language script as a virtual application.

- 36. (previously presented) The system of claim 31 wherein the language-independent host is a web browser.
- 37. (previously presented) A computer readable medium having stored thereon instructions, the instructions for causing a computer programmed thereby to perform a method of facilitating debugging of mixed-language script in a language-independent debugging environment, the method comprising:

receiving a language-independent description of a debugging activity related to mixedlanguage script that interacts with features of a host, the mixed-language script including a first script portion written in a first language and a second script portion written in a second language;

coordinating implementation of the debugging activity through a language engine that handles language-dependent execution and debugging for the debugging activity.

38. (previously presented) The computer readable medium of claim 37 wherein the method further comprises:

in a user interface, presenting results from the language engine in a language-independent manner.

316119

PATENT Atty. Ref. No. <u>3382-57030-01</u>

39. (previously presented) The computer readable medium of claim 37 wherein the method further comprises:

in a user interface, presenting a virtual application for debugging by a user.

- 40. (previously presented) The computer readable medium of claim 37 wherein the debugging activity comprises evaluating an expression.
- 41. (previously presented) The computer readable medium of claim 37 wherein the debugging activity comprises retrieving stack frame information.
- 42. (previously presented) The computer readable medium of claim 37 wherein the debugging activity comprises browsing a structured object.
- 43. (previously presented) The computer readable medium of claim 37 wherein the debugging activity comprises setting a breakpoint in the mixed-language script.
- 44. (previously presented) The computer readable medium of claim 37 wherein the host is a web browser, and wherein the mixed-language script also interacts with features of a remote host.
- 45. (previously presented) The computer readable medium of claim 37 wherein the mixed-language script interacts with features of the host through a programming interface exposed by the host.
- 46. (previously presented) The computer readable medium of claim 37 wherein language-independent description is received through a language-independent, host-independent debugging user interface.
- 47. (previously presented) The computer readable medium of claim 46 wherein the language-independent, host-independent debugging user interface displays debugging information for the mixed-language script as a virtual application.

316119

PATENT Atty. Ref. No. <u>3382-5</u>7030-01

48. (previously presented) In a computing environment, a method of aggregating stack frames from language engines for different languages, the method comprising:

requesting a first language engine to enumerate first contents of a first stack frame, the first language engine supporting language-dependent implementation according to a first language, the first contents including first language-dependent stack frame information;

requesting a second language engine to enumerate second contents of a second stack frame, the second language engine supporting language-dependent implementation according to a second language, the second contents including second language-dependent stack frame information; and aggregating the first contents and the second contents.

- 49. (previously presented) The method of claim 48 wherein the first and second language engines return language-dependent stack frame information in a language-independent manner.
- 50. (previously presented) A computer readable medium storing instructions for causing a computer programmed thereby to perform the method of claim 48.